

Originalarbeiten in „Peer-reviewed“ Zeitschriften

Impaktfaktoren Stand 2011:

1. Originalarbeiten (75):

Summe Impaktfaktoren Orginalarbeiten: **220,01**

1. Scholz AO, Gehrmann S, Glombitzka M, Kaufmann RA, Bostelmann R, **Flohé S**, Windolf J .Reconstruction of septic diaphyseal bone defects with the induced membrane technique. *Injury* 2015 Oct;46 Suppl 4:S121-4. (**IF: 1,98**)
2. Hornstein T, Lehmann S, Philipp D, Detmer S, Hoffmann M, Peter C, Wesselborg S, Unfried K, Windolf J, **Flohé S**, Paunel-Görgülü A. Staurosporine resistance in inflammatory neutrophils is associated with the inhibition of caspase- and proteasome-mediated Mcl-1 degradation. *J Leukoc Biol.* 2015 Aug 26 (**IF: 4,99**)
3. Weuster M, Mommsen P, Pfeifer R, Mohr J, Ruchholtz S, **Flohé S**, Fröhlich M, Keibl C, Seekamp A, van Griensven M, Witte I. Induced Hypothermia Does Not Harm Hemodynamics after Polytrauma: A Porcine Model. *Mediators Inflamm.* 2015;2015:829195. doi: 10.1155/2015/829195. Epub 2015 Jun 11. (**IF: 3,26**)
4. Matthes G, Trentzsch H, Wölfl CG, Paffrath T, **Flohé S**, Schweigkofler U, Ekternkamp A, Schulz-Drost S; Sektion Notfallmedizin, Intensivmedizin und Schwerverletztenversorgung (NIS) der Deutschen Gesellschaft für Unfallchirurgie e. V. [Essential measures for prehospital treatment of severely injured patients: The trauma care bundle].*Unfallchirurg.* 2015 Aug;118(8):652-6. (**IF: 0,61**)
5. Münzberg M, Mutschler M, Paffrath T, Trentzsch H, Wafaisade A, Walcher F, Raum M, **Flohé S**, Wölfl C. Level of Evidence Analysis for the Latest German National Guideline on Treatment of Patients with Severe and Multiple Injuries and ATLS. *World J Surg.* 2015 Aug;39(8):2061-7. (**IF: 2,36**)
6. Reith G, Wyen H, Wafaisade A, Paffrath T, **Flohé S**, Bouillon B, Maegele M, Probst C. Current standard of care for initial management of open fractures in emergency departments : A nationwide survey in German trauma center. *Unfallchirurg.* 2015 Jan 28. [Epub ahead of print] (**IF: 0,61**)
7. Windolf CD, Lögters T, Scholz M, Windolf J, **Flohé S**. Lysostaphin-coated titan-implants preventing localized osteitis by *Staphylococcus aureus* in a mouse model. *PLoS One.* 2014 Dec 23;9(12):e115940 (**IF: 4,09**)
8. Paffrath T, Lefering R, **Flohé S**; TraumaRegister DGU. How to define severely injured patients? - An Injury Severity Score (ISS) based approach alone is not sufficient. *Injury.* 2014 Oct;45 Suppl 3:S64-9. (**IF: 1,98**)
9. Leenen M, Scholz A, Lefering R, **Flohé S**; TraumaRegister DGU. Limited volume resuscitation in hypotensive elderly multiple trauma is safe and prevents early clinical dilutive coagulopathy -- a matched-pair analysis from TraumaRegister DGU(®).*Injury.* 2014 Oct;45 Suppl 3:S59-63. (**IF: 1,98**)

10. Wafaisade A, Wyen H, Mutschler M, Lendemans S, Bouillon B, **Flohé S**, Paffrath T, Maegele M, Tjardes T, Probst C; Sektion NIS der DGU. Current practice in coagulation and transfusion therapy in multiple trauma patients : A German nation-wide online survey.]*Unfallchirurg.* 2014 Jun 5. [Epub ahead of print]. (**IF: 0,61**)
11. Fröhlich M, Hildebrand F, Weuster M, Mommsen P, Mohr J, Witte I, Raeven P, Ruchholtz S, **Flohé S**, van Griensven M, Pape HC, Pfeifer R. Induced hypothermia reduces the hepatic inflammatory response in a swine multiple trauma model. *J Trauma Acute Care Surg.* 2014 Jun;76(6):1425-32. (**IF: 2,48**)
12. Windolf CD, Meng W, Lögters TT, Mackenzie CR, Windolf J, **Flohé S**. Implant-associated localized osteitis in murine femur fracture by biofilm forming *Staphylococcus aureus*: A novel experimental model. *J Orthop Res.* 2013 31(12):2013-20. (**IF: 3,11**)
13. Mohr J, Ruchholtz S P, Hildebrand F, **Flohé S**, Frink M, Witte I, Fröhlich M, van Griensven M, Keibl C, Mommsen P. Induced hypothermia does not impair coagulation system in a swine multiple trauma model. *J Trauma Acute Care Surg* 2013;74:1014-20. (**IF: 2,48**)
14. Sellman T, Miersch D, Kienbaum A, **Flohé S**, Schneppendahl J, Lefering R, DGU Traumaregister. The impact of arterial hypertension on polytrauma and traumatic brain injury. *Deutsch. Ärzteblatt* 2012:849-56 (**IF: 2,9**)
15. Burkhardt M, Nienaber U, Pizanis A, Maegele M, Culemann U, Bouillon B, **Flohé S**, Pohlemann T, Paffrath T, Dgu T. Acute management and outcome of multiple trauma patients with pelvic disruptions. *Crit Care* 2012 Aug 22;16(4):R163. (**IF: 4,61**)
16. Meng W, Paunel-Görgülü A, **Flohé S**, Hoffmann A, Witte I, Mackenzie C, Baldus SE, Windolf J, Lögters TT. Depletion of neutrophil extracellular traps *in vivo* results in hypersusceptibility to polymicrobial sepsis in mice. *Crit Care* 2012 Jul 26;16(4):R137. (**IF: 4,61**)
17. Hildebrand F, Weuster M Mommsen P; Mohr J; Fröhlich M; Witte I; Keibl C; Ruchholtz S; Seekamp A; Pape H-C; **Flohé S**; Griensven van M. A combined trauma model of chest and abdominal trauma with hemorrhagic shock- description of a new model. *Shock* 2012; 38: 664-70 (**IF: 2,85**)
18. Hildebrand F, **Flohé S**, Leenen L, van Griensven M, Frink M. Posttraumatic immune response and its modulation. *Mediator Inflamm.* 2012;731563. Epub 2012 Mar 27 (**IF: 3,26**)
19. Wafaisade A, Lefering R, Maegele M, Lendemans S, **Flohé S**, Hussmann B, Defosse JM, Probst C, Paffrath T, Bouillon B; Trauma Registry of DGU. Coagulation management of bleeding trauma patients is changing in German trauma centers: an analysis from the trauma registry of the German Society for Trauma Surgery. *J Trauma Acute Care Surg* 2012 Apr;72(4):936-42. (**IF: 2,48**)

20. Meng W, Paunel-Görgülü A, **Flohé S**, Witte I, Schädel-Höpfner M, Windolf J, Lögters TT. Deoxyribonuclease is a potential counter regulator of aberrant neutrophil extracellular traps formation after major trauma. *Mediator Inflamm* 2012;149560. Epub 2012 Jan 23. (**IF: 3,26**)
21. Paunel-Görgülü A, Kirichevska T, Lögters T, Windolf J, **Flohé S**. Molecular mechanisms underlying delayed apoptosis in neutrophils from multiple trauma patients with and without sepsis. *Mol Med* 2012 May 9;18(1):325-35. (**IF: 3,76**)
22. Kühn MC, Willenberg HS, Schott M, Papewalis C, Stumpf U, **Flohé S**, Scherbaum WA, Schinner S. Adipocyte-secreted factors increase osteoblast proliferation and the OPG/RANKL ratio to influence osteoclast formation. *Mol Cell Endocrinol* 2012 Feb 26;349(2):180-8 (**IF: 4,19**)
23. Schneppendahl J, Lefering R, Kühne CA, Ruchholz S, Hakimi M, Witte I, Lögters T, Windolf J, **Flohé S**; TraumaRegister der DGU. Interhospital transfer of severely injured patients in Germany: Evaluation of the DGU trauma register. *Unfallchirurg*. 2012 Aug;115(8):717-24. (**IF: 0,61**)
24. Paunel-Görgülü A, **Flohé S**, Scholz M, Windolf J, Lögters T. Increased serum soluble Fas after major trauma is associated with delayed neutrophil apoptosis and development of sepsis. *Crit Care*. (2011) 15(1):R20 (**IF: 4,61**)
25. Paunel-Görgülü A, Lögters T, **Flohé S**, Cinatl J, Altrichter J, Windolf J, Scholz M. Stimulation of FAS-Signaling down-regulates Activitiy from Neutrophils from patients after major trauma. *Immunobiology* (2011) 216(3):334-42. (**IF: 3,21**)
26. Kobbe P, **Flohé S**, Wellmann M, Russe K. Stabilization of chronic proximal tibiofibular joint instability with a semitendinosus graft. *Acta Orthop Belg*. (2010) 76: 830-3. (**IF: 0,40**)
27. Lögters T., Laryea MD., Jäger M., Schädel-Höpfner M., Windolf J., Flohé S., Altrichter J., Scholz M., Paunel A. Kynurenone inhibits chondrocyte proliferation and is increased in synovial fluid of patients with septic arthritis. *J Orthop Res*. (2010) 28:1490-6 (**IF: 3,11**)
28. **Flohé S.**, Betsch M., Ruße K., Wild M., Schulz M. Comparison of two different matrix-based autologous chondrocyte transplantation systems – 1 year follow-up results *Eur J Trauma* (2011) (**IF: 0,33**)
29. Lögters T, Lefering R, Schneppendahl J., Alldinger I, Witte I, Windolf J., **Flohé S**. TraumaRegister der DGU. Abbruch der Schockraumdiagnostik und Notfallopoperation beim Polytrauma: Inzidenz und klinische Relevanz – Eine Auswertung des TraumaRegisters der DGU. *Unfallchirurg* (2010) 113:832-8. (**IF: 0,61**)
30. **Flohé S**, Nast-Kolb D. Chirurgisches Management vital bedrohlicher Verletzungen. *Unfallchirurg* 112: 854-59 (2009). (**IF: 0,61**)
31. Hakimi M, Jungbluth P, Betsch M, Linhart W, **Flohé S**, Windolf J, Wild M. PRP in Kombination mit autologer Spongiosa: Eine Alternative bei therapierefraktärer Pseudarthrose. *Unfallchirurg* 2010 (**IF: 0,61**)

32. Flohé S, Scholz M. HLA-DR monitoring on the ICU – more than a tool for the scientist in the lab? Crit. Care Med 37:2849-50 (2009). (**IF: 6.33**)
33. Schmitz D, Bangen J, Herborn C, Husain B, Lendemans S, Flohé SB, Metz KA, Schade FU, Taeger G, Oberbeck JR, Kobbe P, Waydhas C, Flohé S. Isolated closed minor-muscle injury of the lower leg did not cause an obvious systemic immune response. Inflamm. Res 59(2):141-9 (2009). (**IF: 2,11**)
34. Flohé S, Nabring J, Lütkes P, Nast-Kolb D, Windolf J. Komplexe operative Prozeduren in der Orthopädie und Unfallchirurgie – Ein Beitrag zum Vorschlagsverfahren für das DRG-System 2009. Unfallchirurg 111: 856-58 (2009). (**IF: 0.61**)
35. Lendemans S, Heuer, M, Nast-Kolb D, Kühne C, Damman M, Flohé S, Ruchholtz S, Taeger G. Significance of liver trauma for the incidence of sepsis, multiple organ failure and lethality of severely injured patients: An organ-specific evaluation of 24.771 patients from the trauma register of the DGU. Unfallchirurg 111: 232-239 (2008). (**IF: 0.61**)
36. Flohé SB, Agrawal H, Flohé S, Rani M, Bangen J, Schade FU. Diversity of Interferon gamma and Granulocyte-Macrophage Colony-Stimulating Factor in Restoring Immune Dysfunction of Dendritic Cells and Macrophages during Polymicrobial Sepsis. Mol Med. 14: 247-52 (2008). (**IF: 3,76**)
37. Lendemans S, Peszko A, Oberbeck R, Schmitz D, Husain B, Burkhard M, Schade FU, Flohé S. Microcirculatory alterations of hepatic and mesenteric microcirculation in Endotoxin Tolerance. Shock 29: 223-31 (2008). (**IF: 2,85**)
38. Lendemans S, Kreuzfelder E, Rani M, Bayeeh E, Schade FU, Flohé SB, Waydhas C, Flohé S. Toll-like-receptor 2 and 4 expression after severe injury is not involved in the dysregulation of the innate immune system J Trauma 63: 740-46 (2007). (**IF: 2,48**)
39. Flohé S, Buschmann C, Merguet P, Lefering R, Nabring J, Nast-Kolb D, Ruchholtz S. Polytraumadefinition im G-DRG-System – bis zu 30 % „Fehlgruppierung“. Unfallchirurg 110: 651-58 (2007). (**IF: 0.61**)
40. Flohé SB, Bangen J, Flohé S, Agrawal H, Bergmann K, Schade FU. Origin of immunomodulation after soft tissue trauma: potential involvement of extracellular heat-shock proteins. Shock: 27: 494-502 (2007). (**IF: 2.85**)
41. Lendemans S, Kreuzfelder E, Schade FU, Waydhas C, Flohé S. Differential immunostimulating effect of Granulocyte-macrophage colony-stimulating factor (GM-CSF), Granulocyte colony-stimulating factor (G-CSF) and Interferon γ (IFN γ) after severe trauma. Inflamm Res 56 38-44 (2007). (**IF: 2,11**)
42. Börgermann J, Flohé S, Spillner J, Kuss O, Feldt T, Reidemeister J Ch, Schade FU, Friedrich I: Downregulation of cytokine synthesis in lipopolysaccharide-stimulated whole blood after cardiopulmonary bypass: Additive effects of the extracorporeal circuit and antiinflammatory mediators. Inflamm Res 56: 126-132 (2007). (**IF: 2,11**)
43. Börgermann J, Friedrich I, Scheubel J, Kuss O, Lendemans S, Silber RE, Kreuzfelder E, Flohé S. Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) restores decreased monocyte HLA-DR expression after cardiopulmonary bypass. Thoracic Cardiov Surg 55: 1-8 (2007). (**IF: 0.79**)

44. Baiyee E, **Flohé S**, Lendemans S, Bauer S, Mueller N, Kreuzfelder E, Grosse-Wilde H. Expression and function of toll-like receptor 9 in severely injured patients prone to sepsis. *Clin Exp Immunol* 145: 456-62 (2006). (**IF: 3,36**)
45. Rani M, Husain B, Lendemans S, Schade FU, **Flohé S**. Hemorrhagic shock in mice - intracellular signaling and immunomodulation of peritoneal macrophages' LPS response. *Immunobiol* 211: 711-19 (2006). (**IF: 3,21**)
46. **Flohé S**., Lendemans S., Schmitz D., Waydhas C. Intensive Care Medicine – Update 2005. *Zentral. Chir.* 131: 175-187 (2006). (**IF: 1,02**)
47. Lendemans S, Selbach C, Hirsch T, Kreuzfelder E, Schade FU, **Flohé S**: GM-CSF priming of human Monocytes is dependent on ERK 1/2 activation. *J Endotox Res* 12: 10-20 (2006). (**IF: 4,21**)
48. Flohé SB, Agrawal H, Schmitz D, Gertz M, **Flohé S**, Schade FU. Dendritic cells during polymicrobial sepsis rapidly mature but fail to initiate a protective Th1-type immune response. *J Leukoc Biol.* 79(3):473-81 (2006). (**IF: 4,99**)
49. **Flohé S**, Lendemans S, Schmitz D, Waydhas C. Was gibt es Neues in der Intensivmedizin – eine Übersicht. *Zentral. Chir.* 130: 191-201 (2005). (**IF: 1,02**)
50. Kühne C, Kaiser G, **Flohé S**, Beiderlinden M., Kuehl H, Stavrou G, Waydhas C, Lendemans S, Paffrath T, Nast-Kolb D. Nonoperative Management of Tracheobronchial Injuries in Severely Injured Patients. *Surg. Today* 35: 518-523 (2005). (**IF: 0,804**)
51. Lendemans S, Kreuzfelder E, Waydhas C, Nast-Kolb D, **Flohé S**: Korrelation, Verlauf und prognostische Bedeutung immunologischer Funktionsparameter nach schwerem Trauma. *Unfallchirurg* 107:203-10 (2004). (**IF: 0,61**)
52. **Flohé S**, Lendemans S, Schade FU, Kreutzfelder E, Waydhas C. Influence of surgical intervention in the immune response of severely injured patients. *Intens. Care Med.* 30. 96- 102 (2004). (**IF: 6,33**)
53. Husain B, Lendemans S, Ackermann M, Wendel A. Schade FU, **Flohé S**. GM-CSF counteracts hemorrhage-induced suppression of cytokine-producing capacity. *Inflamm. Res.* 53:13-21 (2004). (**IF: 2,11**)
54. **Flohé S**, Lendemans S, Selbach C, Waydhas C, Ackermann M, Schade FU, Kreuzfelder E: Effect of GM-CSF on the immune response of circulating monocytes after severe trauma. *Crit Care Med.* 31 (10): 2462-2469 (2003). (**IF: 6,33**)
55. Flohé S.B., Brüggemann J., Lendemans S., Nikulina M., Meierhoff G., **Flohé S**, Kolb H.: Human HSP 60 induces maturation of dendritic cells versus Th1 promoting phenotype. *J Immunol* 170: 2340-2348 (2003). (**IF: 5,79**)
56. Dominguez Fernandez E, **Flohé S**, Siemers F, Nau M, Schade FU. Endotoxin tolerance in rats: influence on LPS-induced changes in excretory liver function. *Inflamm Res* 51(10): 500-505 (2002). (**IF: 2,11**)
57. Börgermann J, Friedrich I, **Flohé S**, Spillner J, Majetschak M, Sablotzki A, Feldt T, Reidemeister JC, Schade FU. Tumor necrosis factor-alpha production of whole blood after cardiopulmonary bypass: Downregulation caused by circulatig cytokine-inhibitory activities. *J Thorac Cardiovasc Surgery* 124(3): 608-617 (2002). (**IF: 3,41**)

58. Domínguez Fernández E, Siemers F, **Flohé S**, Nau M, Schade F U. Effects of endotoxin tolerance on liver function after local hepatic ischemia/reperfusion injury in the rat. Crit Care Med 30(1): 165-170 (2002). (**IF: 6.33**)
59. Kehe K, **Flohé S**, Krebs G, Kreppel H, Reichl FX, Liebl B, Sciniciz L. Effects of Lewisite on cell membrane integrity and energy metabolism in human keratinocytes and SCL II cells. Toxicology 163: 137-144 (2001). (**IF: 3.61**)
60. Ackermann M, Reuter M, **Flohé S**, Bahrami S, Redl H, Schade FU: Cytokine synthesis in the liver of endotoxin-tolerant and normal rats during hemorrhagic shock. J Endotox Res 7(2): 105-112 (2001). (**IF: 4.21**)
61. **Flohé S**, Börgermann J, Lim L, Schade FU: Interferon- γ counteracts reduced endotoxin responsiveness of whole blood following trauma and cardiopulmonary bypass. J Endotox Res 6(6): 431-436 (2000). (**IF: 4.21**)
62. Domínguez Fernández E, **Flohé S**, Siemers F, Nau M, Ackermann M, Ruwe M, Schade FU. Endotoxin tolerance protects against local hepatic ischemia/reperfusion injury in the rat. J Endotox Res 6(4): 321-328 (2000). (**IF: 4.21**)
63. **Flohé S**, Ackermann A, Reuter M, Nast-Kolb D, Schade FU: Sublethal hemorrhagic shock reduces TNF α -producing capacity in different cell compartments. Eur Cytokine Netw 11(3) : 420-26 (2000). (**IF: 1.72**)
64. **Flohé S**, Domínguez Fernández E, Ackermann M., Hirsch T, Börgermann J, Schade FU: Endotoxin Tolerance in Rats: Expression of TNF α , IL-6, IL-10, VCAM-1 and HSP 70 in Lung and Liver during Endotoxin Shock. Cytokine 11: 796-804 (1999). (**IF: 3.02**)
65. Majetschak M., **Flohé S**, Obertacke U, Schröder J, Staubach K, Nast-Kolb D, Schade FU, Stüber F: Relation of a TNF gene polymorphism to severe sepsis in trauma patients. Ann Surg 230: 207-214 (1999). (**IF: 7.49**)
66. **Flohé S**, Börgermann J, Domínguez-Fernández E, Majetschak M, Lim L, Kreutzfelder E, Obertacke U, Nast-Kolb D, Schade FU: Influence of Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) on Whole Blood Endotoxin Responsiveness Following Trauma, Cardiopulmonary Bypass and Severe Sepsis. Shock 12: 17-24 (1999). (**IF: 2.85**)
67. Flach R, Majetschak M Heukamp T, Jennissen V, **Flohé S**, Börgermann J, Obertacke U, Schade FU: Relation of ex vivo stimulated blood cytokine synthesis to post-traumatic sepsis. Cytokine 11(2): 173-178 (1999). (**IF: 3.02**)
68. Flach R, Speidel N, **Flohé S**, Börgermann J, Dresen IG, Erhard J, Schade FU: Analysis of intragraft cytokine expression during early reperfusion after liver transplantation using semi-quantitative RT-PCR. Cytokine 10(6): 445-451 (1998). (**IF: 3.02**)
69. Flohé SB, Bauer C, **Flohé S**, Moll H. Antigen-pulsed epidermal Langerhans cells protect susceptible mice from infection with the intracellular parasite Leishmania major. Eur. J. Immunol. 28: 3800-3811 (1998). (**IF: 5.1**)
70. **Flohé S**, Speidel N, Flach R, Lange R, Erhard J, Schade FU: Expression of HSP 70 as a potential prognostic marker for acute rejection in human liver transplantation. Transplant Int 11: 89-94 (1998). (**IF: 2.92**)

71. Flach R, **Flohé S**, Laschinski M, Hofmann K, Kreutzfelder E, Schade FU: Interleukin-10 is downregulated in mononuclear cells of endotoxin tolerant humans. *J Endotox Res* 4(3): 189-195 (1997). (**IF: 4,21**)
72. Haeser K, Kehe K, **Flohé S**, Hannemann M, Kraus M, Reichl FX, Kreppel H, Szinicz L: Decontamination of experimental 2-chlorovinyldichlorarsine (lewisite) induced skin lesion. *Exp. Toxicol Pathol* 48 (Suppl II): 170-174 (1996). (**IF: 2,78**)
73. **Flohé S**, Kehe K, Kraus M, Haeser K, Jones M, Singh P, Kreppel H, Szinicz L: On the pathomechanism and therapy of 2-chlorovinyldichlorarsine (lewisite) intoxication. *Exp Toxicol Pathol* 48 (Suppl II): 132-137 (1996). (**IF: 2,78**)
74. Klosterhalfen B, Horstmann Jungemann K, Vogel P, **Flohé S**, Offner F, Kirkpatrick CJ, and Heinrich PC. Time course of various inflammatory mediators during recurrent endotoxemia. *Biochem.Pharmacol.* 43(10):2103-2109, (1992). (**IF: 4,71**)
75. **Flohé S**, Heinrich PC, Schneider J, Wendel A, and Flohé L. Time course of IL-6 and TNF α release during endotoxin-induced endotoxin tolerance in rats. *Biochem.Pharmacol.* 41(11):1607-1614, (1991). (**IF: 4,71**)

2. Übersichtsarbeiten (14)

1. Hildebrand F, Radermacher P, Ruchholtz S, Huber-Lang M, Seekamp A, Flohé S, van Griensven M, Andruszkow H, Pape HC. Relevance of induced and accidental hypothermia after trauma-haemorrhage-what do we know from experimental models in pigs? *Intensive Care Me Exp* 2014 Dec;2(1):16. Epub 2014 May 15 (**IF: 7,21**)
2. Trentzsch H, Woelfl C, Matthes G, Paffrath T, Lefering R, **Flohé S**. New aspects in polytrauma management: Report of the second annual conference of the Committee on Emergency Medicine, Intensive Care and Trauma Management. *Unfallchirurg* Jul;116(7):664-8. (**IF 0,61**)
3. Wafaisade A, Paffrath T, **Flohé S**. New oral anticoagulants: Relevance for orthopedics and trauma surgery *Unfallchirurg* 2013;116:90-1. (**IF 0,61**)
4. Trentzsch H, Woelfl C, Matthes G, Paffrath T, Lefering R, **Flohé S**. New aspects in polytrauma management: Report of the first annual conference of the Committee on Emergency Medicine, Intensive Care and Trauma Management. *Unfallchirurg* März 2013. (**IF 0,61**)
5. Frink M, **Flohé S**, van Griensven M, Mommsen P, Hildebrand F. Facts and fiction: the impact of hypothermia on molecular mechanisms following major challenge. *Mediator Inflamm.* 2012;762840. Epub 2012 Mar 27 (**IF 3,26**)
6. Wild M., Windolf J., **Flohé S**. Patellafrakturen. *Unfallchirurg* 113:401-11 (2010). (**IF 0,61**)
7. Lögters T, Windolf J, **Flohé S**. Fractures of the shaft of the femur. *Unfallchirurg* 112: 635-50 (2009). (**IF 0,61**)

8. Flohé S.B. **Flohé S**, Schade F.U. Deterioration of the immune system after trauma: signals and cellular mechanisms. *Innate Immunity* 14: 333-44 (2009). (**IF: 4,21**)
9. **Flohé S**, Flohé SB, Schade FU, Waydhas C. Immune Response of severely injured patients – influence of surgical intervention and therapeutic impact. *Langenbeck's Arch Surg* 392: 639-48 (2007). (**IF 1,81**)
10. **Flohé S**, Kobbe P, Nast-Kolb D. Immunological reactions secondary to blood to transfusion. *Injury* 38: 1405-08 (2007). (**IF:1,96**)
11. Waydhas C, **Flohé S**. Kriterien der Operabilität. *Trauma und Berufskr.* 9:177-81 (2007).
12. **Flohé S**, Waydhas C, Nast-Kolb D. Traumatischer Schock, Notfall und Rettungsmedizin 9: 516-21 (2006)
13. Nast-Kolb D, **Flohé S**, Ruchholtz S. Akute Infektion nach Osteosynthese. *OP-Journal* 16:86-91 (2000).
14. Schade FU, Flach R, **Flohé S**, Majetschak M, Kreutzfelder E, Domínguez-Fernández E, Börgermann J, Reuter M, Obertacke U: Endotoxin Tolerance pp 751-766; In: Brade H., Opal S., Vogel S., Morrison D. *Endotoxin in Health and Disease*. Marcel Dekker, Inc New York, Basel (1999).